

SECTION 1: Product identifier

1.1. Product identifier

Product form : Mixture
 Product name : Lazy Mans Mould Control

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Mould control and mould killer within bathrooms

1.4. Supplier's details

Manufacturer

Sydney Solvents Pty Ltd
 3-10 Production Place
 Jamisontown, NSW 2750
 T 02 4722 5060 (office hours) - F 02 4722 5070
sales@sydney-solvents.com.au - www.sydney-solvents.com.au

1.5. Emergency phone number

Emergency number : Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)
 Emergency Chemcall : 1800 127 406

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Skin corrosion/irritation, Category 1B H314
 Serious eye damage/eye irritation, Category 1 H318

2.2. Label elements

Hazard pictograms (GHS AU) :



GHS05
 Corrosion

Signal word (GHS AU) :

Danger

Contains :

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (10 – 30 %);
 Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, tetrasodium salt (< 1 %)

Hazard statements (GHS AU) :

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS AU) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
 P363 - Wash contaminated clothing before reuse.
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Lazy Mans Mould Control

Safety Data Sheet

according to the Model Work Health and Safety Regulations dated January 1, 2021

P310 - Immediately call a POISON CENTER or doctor.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Name	CAS-No.	%
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	10 – 30
Non-hazardous or chemicals not contributing to final classification	Proprietary	To 100%

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. Never give anything by mouth to an unconscious person.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation : May cause irritation to the respiratory tract. May cause burns to the respiratory system.

Symptoms/effects after skin contact : Causes severe skin burns. Symptoms may include redness, pain, blisters.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Hazchem Code : 2X

Lazy Mans Mould Control

Safety Data Sheet

according to the Model Work Health and Safety Regulations dated January 1, 2021

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Do not swallow. When using do not eat, drink or smoke. Handle and open container with care.

Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store only in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters - exposure standards

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

8.4. Personal protective equipment

Hand protection : Wear suitable gloves resistant to chemical penetration

Eye protection : Wear eye/face protection

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

Lazy Mans Mould Control

Safety Data Sheet

according to the Model Work Health and Safety Regulations dated January 1, 2021

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available.
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Relative density	: No data available
Density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
Fat solubility	: No data available

SECTION 10: Stability and reactivity

Reactivity	: No dangerous reactions known under normal conditions of use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Heat. Incompatible materials.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: May include, and are not limited to: oxides of carbon. Sodium oxides. Toxic and corrosive vapours may be released.

SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

LD50 oral rat	426 mg/kg
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Not classified.
Aspiration hazard	: Not classified.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye

Lazy Mans Mould Control

Safety Data Sheet

according to the Model Work Health and Safety Regulations dated January 1, 2021

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, long-term (chronic) : Not classified.
Other information : No other effects known.

12.2. Persistence and degradability

Lazy Mans Mould Control	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Lazy Mans Mould Control	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified.
Other adverse effects : No additional information available

Lazy Mans Mould Control	
Fluorinated greenhouse gases	False

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information

14.1. UN number

UN-No. (ADG) : 1760
UN-No. (IMDG) : 1760
UN-No. (IATA) : 1760

14.2. Proper Shipping Name - Addition

Proper Shipping Name (ADG) : CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
Proper Shipping Name (IATA) : Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

Lazy Mans Mould Control

Safety Data Sheet

according to the Model Work Health and Safety Regulations dated January 1, 2021

14.3. Transport hazard class(es)

ADG

Transport hazard class(es) (ADG) : 8
Danger labels (ADG) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



14.4. Packing group

Packing group (ADG) : II - substances presenting medium danger
Packing group (IMDG) : II
Packing group (IATA) : II

14.5. Environmental hazards

Marine pollutant : No
Dangerous for the environment : No
Other information : No supplementary information available.

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available.
Special transport precautions : Do not handle until all safety precautions have been read and understood.

Transport by road and rail

UN-No. (ADG) : 1760
Special provision (ADG) : 274
Limited quantities (ADG) : 1I
Packing instructions (ADG) : P001, IBC02
Portable tank and bulk container instructions (ADG) : T11
Portable tank and bulk container special provisions (ADG) : TP2, TP27

Transport by sea

UN-No. (IMDG) : 1760

Air transport

UN-No. (IATA) : 1760

Lazy Mans Mould Control

Safety Data Sheet

according to the Model Work Health and Safety Regulations dated January 1, 2021

14.8. Hazchem or Emergency Action Code

Hazchem Code : 2X

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

Revision date : 03/09/2021
Expiry date : 03/09/2026
Other information : None.
Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



Classification	
Skin Corr. 1B	H314
Eye Dam. 1	H318

Safety Data Sheet (SDS), Australia - Nexreg 2021

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.