

SYDNEY SOLVENTS PTY LTD.

3/10 Production Place Jamisontown NSW 2750 www.sydneysolvents.com.au

CHEMCALL: 1800 127 406

FOR FURTHER INFORMATION, PLEASE REFER TO THE SDS

Issue: November 16

PRODUCT: Parts Wash

Other Names:

Uses: Industrial solvent and formulations

component

UN No.	N/R
Dangerous Goods Class	N/R
Subsidiary Risk	None
Pack Group	N/R
Hazchem	N/R
Poison Schedule	5

Hazardous Nature:	This product is classified as hazardous under GHS for Australia criteria
Hazardous Classification:	Aspiration Toxicant: 1
Hazardous Statement:	Combustible liquid
Exposure Standards:	TWA: Not specified. Consider: 5 g/m³ (oil mist): STEL: Not specified. Consider: 5 g/m³ (oil mist)

Physical Characteristics (Typical)

Section 9 of SDS

Appearance Clear, colourless liquid

Boiling Point/ Range (°C): 195 - 270Flash Point (°C): 75 minSpecific Gravity/ Density (g/ml @ 15° C): 0.81

Chemical Stability: Stable at room temperature and pressure

Product Ingredients Section 3 of SDS

Petroleum, hydrodesulphurised 64742-81-0 100

For further ingredients information, please refer to the full SDS.

GHS Pictograms

Section 2 of SDS



For further Risk and Safety information, please refer to the full SDS.

Definitions Dangerous Goods Products that are classified as Dangerous for Storage and Transport: these products are allocated a UN No., with accompanying Class, Pack Group, and Sub. Risk, if required. Products that do not have a specific description under the code, but have low flash points, or such, must be classified under their most significant risk, eg. Flammable Goods N.O.S. (Not otherwise specified), UN 1993 Poisonous Substance Products that are classified under the poisons schedule are a poisonous substance. The proportion of the poison in the product will determine its numerical classification. Products are considered to be Hazardous if they pose an intrinsic risk to human or environmental health, such as mutagens (able to change DNA), teratogens (able to result in birth defects), carcinogens (able to generate cell abnormalities), etc. Materials are not hazardous substances if they pose risks such as potential for misuse, like flammability, or explosions when heated and ignited.

Safety Data Sheet

PARTS WASH

1. IDENTIFICATION

Product Name: Parts Wash

Other Names:

Chemical Family: Aliphatic hydrocarbon

Recommended Use: Industrial solvent, formulations component

Supplier: Sydney Solvents Pty. Ltd.

ABN: 51 104 642 695

Street Address: 3/10 Production Place, Jamisontown NSW 2750

Telephone: 02 4722 5060 **Fax:** 02 4722 5070

Emergency phone: CHEMCALL: 1800 127 406

All other inquiries: 1800 60 50 40

2. HAZARDS IDENTIFICATION

Hazardous Nature

This product is classified as hazardous under GHS for Australia criteria

Hazardous Classification

Aspiration Toxicant: 1 **Hazardous Statement**Combustible liquid





Hazard Statements

H227: Combustible liquid

H305: May be harmful if swallowed and enters airways

Precautionary Statements

P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

Dangerous Goods Classification N/R

Poisons Schedule 5

3. COMPOSITION: Information on Ingredients

Chemical ingredient	CAS NO.	Proportion (%v/v)
Petroleum, hydrodesulphurised	64742-81-0	100

4. FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.

Date of Issue: November 2016 Page 2 of 6
Date of Review: December 2021 Emergency Number: CHEMCALL: 1800 127 406

Safety Data Sheet

Eve Contact

Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

Skin Contact

Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing, including shoes, and launder before reuse. Seek medical attention for skin irritations.

<u>Inhalation</u>

Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Seek immediate medical attention.

First Aid facilities

Provide eye baths and safety showers.

Medical Attention

Treat according to symptoms. Avoid gastric lavage: risk of aspiration of product to the lungs with the potential to cause chemical pneumonitis.

5. FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing firefighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Dry chemical or foam

Hazards from combustion products

Carbon dioxide and carbon monoxide, smoke and water

Precautions for fire fighters and special protective equipment

Full protective clothing and self-contained breathing apparatus

Hazchem Code: N/R

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent fluid from escaping to drains and waterways. Contain leaking packaging in a containment drum. Prevent vapours from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

Methods and materials for containment

Major Land Spill

- Eliminate sources of ignition.
- Warn occupants of downwind areas of possible fire and explosion hazard.
- Prevent liquid from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimise the effect on the ground water.
- Contain the spilled liquid with sand or earth.
- Recover by pumping use explosion proof pump or hand pump or with a suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See "First Aid Measures" and "Stability and Reactivity"

Major Water Spill

- Eliminate any sources of ignition.
- Warn occupants and shipping in downwind areas of possible fire and explosion hazard.
- Notify the port or relevant authority and keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

See "First Aid Measures" and "Stability and Reactivity".

Date of Issue: November 2016 Page 3 of 6
Date of Review: December 2021 Emergency Number: CHEMCALL: 1800 127 406

7. HANDLING AND STORAGE

Precautions for safe handling

This product is combustible. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Material will accumulate static charge. Use grounding leads to avoid discharge (electrical spark).

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Do not pressurise, cut, heat or weld containers - residual vapours are combustible and will fuel a fire in progress.

Incompatible materials

Natural Rubber, Butyl Rubber, EPDM, Polystyrene

8. EXPOSURE CONTROLS: PERSONAL PROTECTION

National Exposure Standards

The time weighted average concentration (TWA) for this product is: Not specified. Consider: 5 g/m³ (oil mist), which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short-term exposure limit (STEL) is: Not specified. Consider: 5 g/m³ (oil mist), which is the maximum allowable exposure concentration at any time.

Biological limit values

Not available

Engineering Controls: Ventilation

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment

Respiratory Protection: Where concentrations in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type "A" filter material is considered suitable for this product.

Eye Protection: Always use safety glasses or a face shield when handling this product.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves (e.g. PVC) be worn when handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of measurement	Typical value	
Appearance	-	Clear, colourless liquid	
Boiling Point/ Range	°C	195 – 270	
Flash Point	°C	75 min	
Density @ 15°C	g/ml	0.81	
Vapour Pressure @ 20°C	kPa	< 3.7	
Explosive Limits (LEL – UEL)	%	Not available	
Vapour Density @ 20°C	kPa	>1	
Autoignition Temperature	°C	Not available	
Viscosity @ 20°C	cSt	1.18	
Percent Volatiles	%	100	
Solubility with Water	% w/w	Insoluble	

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult the Product Data Sheet.

Date of Issue: November 2016 Page 4 of 6
Date of Review: December 2021 Emergency Number: CHEMCALL: 1800 127 406

PARTS WASH

10. STABILITY AND REACTIVITY

Chemical Stability

Stable at room temperature and pressure

Conditions to avoid

Sources of heat and ignition, open flames.

Hazardous decomposition products

Carbon monoxide, carbon dioxide and other organic complexes on incomplete burning or oxidation.

Hazardous reactions

Strong oxidisers and heat

Hazardous Polymerisation

Will not occur

11. TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion

Small amounts of liquid aspirated into the lungs during ingestion, or from vomiting, may cause chemical pneumonitis, or pulmonary oedema. Ingesting any amount of this product will result in headaches, nausea, dizziness, and tracheal burning.

Eye Contact

This product is irritating to eyes, but will not permanently damage the eye tissue

Skin Contact

This product is irritating to the skin with prolonged exposure. It may result in dryness and cracking.

Inhalation

This product may be irritating to the respiratory tract. Avoid breathing mists of this product or inhaling vapours at elevated temperatures. Inhalation of fine mist will induce symptoms similar to ingestion.

Chronic Effects

Individuals with pre-existing respiratory or skin conditions may be sensitive to this product. Observe standard industrial hygiene measures to avoid exposure reactions.

Other Health Effects Information

None

Toxicological Information

Oral LD₅₀: Oral: > 5000 mg/kg (rat)

Dermal TC_{Lo}: Dermal: > 2000 mg/kg (rabbit)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Toxicity

Fish Toxicity (rainbow trout, goldfish, bluegill): LC₅₀(96hr): Pimephales promelas: 45000 μg/L

Daphnia Magna EC $_{50}$ (24 hr): 21000 μ g/L Blue-green algae (Toxicity threshold 7-8 days): Not available Green algae (Toxicity threshold 7-8 days): Not available

Persistence/ degradability

Readily biodegradable. Oxidises rapidly by photo-chemical reactions in air. Does not bioaccumulate significantly.

Mobility

Bioaccumulation: BCF = 130 - 159

Date of Issue: November 2016 Page 5 of 6
Date of Review: December 2021 Emergency Number: CHEMCALL: 1800 127 406

Safety Data Sheet

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain fumes and vapours that are flammable and harmful. Ensure that empty packaging is allowed to dry.

Special Precautions for Landfill or Incineration

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product must be disposed as chemical waste in accordance with the local authority.

14. TRANSPORT INFORMATION

Road and Rail Transport		Marine Transport		Air Transport	
UN No.	N/R	UN No.	N/R	UN No.	N/R
Proper Shipping Name	100% Liquid Hydrocarbon	Proper Shipping Name	100% Liquid Hydrocarbon	Proper Shipping Name	100% Liquid Hydrocarbon
DG Class	N/R	DG Class	N/R	DG Class	N/R
Sub. Risk	None	Sub. Risk	None	Sub. Risk	None
Pack Group	N/R	Pack Group	N/R	Pack Group	N/R
Hazchem	N/R	Hazchem	N/R	Hazchem	N/R

Dangerous Goods Segregation

This product is classed as Dangerous Goods Class N/R, packing group N/R. Please consult the Australian Dangerous Goods Code for Transport by Road and Rail for information.

15. REGULATORY INFORMATION

Country/ Region: Australia

Inventory: AICS Status: Listed

Poisons Schedule: 5

16. OTHER INFORMATION

Reasons for Issue: Upgrade to GHS SDS; Amalgamated supplier changes in all sections

Abbreviations:

AICS: Australian Inventory of Chemical Substances

CAS Number: Chemical Abstracts Number

IARC: International Agency for Research on Cancer

NOHSC: National Occupational Health and Safety Council

References:

- Supplier Safety Data Sheets
- http://chem.sis.nlm.nih.gov/chemidplus (January 16)
- http://hsis.ascc.gov.au/SearchHS.aspx (January 16)
- Ecotoxicology data: http://cfpub.epa.gov/ecotox/quick_query.htm (January 16)
- Sax's Dangerous Properties of Industrial Materials, Richard J. Lewis Snr., pub. Canada (2000)

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Sydney Solvents Pty. Ltd.

Date of Issue: November 2016 Page 6 of 6
Date of Review: December 2021 Emergency Number: CHEMCALL: 1800 127 406