

**FOR FURTHER INFORMATION, PLEASE REFER TO THE SDS**

Issue: November 16

**PRODUCT:** Screen Wash  
**Other Names:** Blended hydrocarbon  
  
**Uses:** Industrial solvent

|                              |      |
|------------------------------|------|
| <b>UN No.</b>                | 1993 |
| <b>Dangerous Goods Class</b> | 3    |
| <b>Subsidiary Risk</b>       | None |
| <b>Pack Group</b>            | II   |
| <b>Hazchem</b>               | •3YE |
| <b>Poison Schedule</b>       | 6    |

|                                  |   |
|----------------------------------|---|
| <b>Hazardous Nature:</b>         | This product is classified as hazardous under GHS for Australia criteria  |
| <b>Hazardous Classification:</b> | Flammable Liquids: 2; Acute Toxicity - Oral: 3; Skin Corrosion/Irritation: 2; Specific Target Organ Toxicity (Repeated Exposure): 1 |
| <b>Hazardous Statement:</b>      | Highly Flammable liquid and vapour  |
| <b>Exposure Standards:</b>       | TWA: 191 mg/m <sup>3</sup> (50 ppm); STEL: 574 mg/m <sup>3</sup> (150 ppm)  |

**Physical Characteristics (Typical)**

**Section 9 of SDS**

Appearance: Clear, colourless liquid  
Boiling Point/ Range (°C): 56 – 110  
Flash Point (°C): -2  
Specific Gravity/ Density (g/ml @ 15°C): 0.82  
Chemical Stability: Stable at room temperature and pressure

**Product Ingredients**

**Section 3 of SDS**

|  |          |         |
|--|----------|---------|
| Toluene  | 108-88-3 | 40 – 65 |
| Acetone  | 67-64-1  | 20 – 30 |
| Heptane and Isomers: containing cyclohexane, n-hexane, and methyl cyclohexane < 5% | various  | 20 – 30 |

For further ingredients information, please refer to the full SDS.

**GHS Pictograms**

**Section 2 of SDS**



For further Risk and Safety information, please refer to the full SDS.

**DEFINITIONS**

|                     |   |
|---------------------|---|
| Dangerous Goods     | Products that are classified as Dangerous for Storage and Transport: these products are allocated a UN No., with accompanying Class, Pack Group, and Sub. Risk, if required. Products that do not have a specific description under the code, but have low flash points, or such, must be classified under their most significant risk, eg. Flammable Goods N.O.S. (Not otherwise specified), UN 1993   |
| Poisonous Substance | Products that are classified under the poisons schedule are a poisonous substance. The proportion of the poison in the product will determine its numerical classification.   |
| Hazardous Substance | Products are considered to be Hazardous if they pose an intrinsic risk to human or environmental health, such as mutagens (able to change DNA), teratogens (able to result in birth defects), carcinogens (able to generate cell abnormalities), etc. Materials are not hazardous substances if they pose risks such as potential for misuse, like flammability, or explosions when heated and ignited. |

**1. IDENTIFICATION**

|                             |   |
|-----------------------------|---|
| <b>Product Name:</b>        | <b>Screen Wash</b>                          |
| <b>Other Names:</b>         | Blended Hydrocarbon                         |
| <b>Chemical Family:</b>     | Blended Hydrocarbon                         |
| <b>Recommended Use:</b>     | Industrial solvent                          |
| <b>Supplier:</b>            | Sydney Solvents Pty. Ltd.                   |
| <b>ABN:</b>                 | 51 104 642 695                              |
| <b>Street Address:</b>      | 3/10 Production Place, Jamisontown NSW 2750 |
| <b>Telephone:</b>           | 02 4722 5060                                |
| <b>Fax:</b>                 | 02 4722 5070                                |
| <b>Emergency phone:</b>     | <b>CHEMCALL: 1800 127 406</b>               |
| <b>All other inquiries:</b> | 1800 60 50 40                               |

**2. HAZARDS IDENTIFICATION****Hazardous Nature**

This product is classified as hazardous under GHS for Australia criteria

**Hazardous Classification**

Flammable Liquids: 2; Acute Toxicity - Oral: 3; Skin Corrosion/Irritation: 2; Specific Target Organ Toxicity (Repeated Exposure): 1

**Hazardous Statement**

Highly Flammable liquid and vapour

**GHS Pictograms****Hazard Statements**

H225: Highly flammable liquid and vapour

H361d: Suspected of damaging the unborn child

H372: Causes damage to organs through prolonged or repeated exposure

H320: Causes eye irritation

H305: May be harmful if swallowed and enters airways

H336: May cause drowsiness or dizziness

**Precautionary Statements**

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

P243: Take precautionary measures against static discharge.

P301+312+101: IF SWALLOWED: Call a POISON CENTER/doctor, if you feel unwell, and have product container or label at hand.

**Dangerous Goods Classification 3**

### 3. COMPOSITION: Information on Ingredients

| Chemical Ingredient  | CAS No.  | Proportion (%v/v) |
|--|----------|-------------------|
| Toluene  | 108-88-3 | 40 – 65           |
| Acetone  | 67-64-1  | 20 – 30           |
| Heptane and Isomers: containing cyclohexane, n-hexane, and methyl cyclohexane < 5% | various  | 20 – 30           |

### 4. FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

#### Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.

#### Eye Contact

Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

#### Skin Contact

Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing, including shoes, and launder before reuse. Seek medical attention for skin irritations.

#### Inhalation

Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Seek immediate medical attention.

#### First Aid facilities

Provide eye baths and safety showers.

#### Medical Attention

Treat according to symptoms. Avoid gastric lavage: risk of aspiration of product to the lungs with the potential to cause chemical pneumonitis.

### 5. FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing firefighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

#### Suitable extinguishing media

Alcohol resistant foam, or if unavailable, water fog, or fine mist

#### Hazards from combustion products

A complex mixture of airborne solids, liquids and gases, including carbon monoxide, carbon dioxide and other organic compounds will evolve.

#### Precautions for fire fighters and special protective equipment

Full protective clothing and self-contained breathing apparatus

#### Hazchem Code: •3YE

### 6. ACCIDENTAL RELEASE MEASURES

#### Emergency Procedures

Prevent fluid from escaping to drains and waterways. Contain leaking packaging in a containment drum. Prevent vapours from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

#### Methods and materials for containment

##### **Major Land Spill**

- Eliminate sources of ignition.
- Warn occupants of downwind areas of possible fire and explosion hazard.
- Prevent liquid from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.

- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimise the effect on the ground water.
- Contain the spilled liquid with sand or earth.
- Recover by pumping – use explosion proof pump or hand pump – or with a suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See “First Aid Measures” and “Stability and Reactivity”

**Major Water Spill**

- Eliminate any sources of ignition.
- Warn occupants and shipping in downwind areas of possible fire and explosion hazard.
- Notify the port or relevant authority and keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See “First Aid Measures” and “Stability and Reactivity”.

**7. HANDLING AND STORAGE****Precautions for safe handling**

This product is flammable. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Material will accumulate static charge. Use grounding leads to avoid discharge (electrical spark).

**Conditions for safe storage**

Store in a cool, dry place away from direct sunlight. Do not pressurise, cut, heat or weld containers - residual vapours are flammable. This product is flammable and will fuel a fire in progress.

**Incompatible materials**

Natural Rubber, Butyl Rubber, EPDM, Polystyrene

**8. EXPOSURE CONTROLS: PERSONAL PROTECTION****National Exposure Standards**

The time weighted average concentration (TWA) for this product is: 191 mg/m<sup>3</sup> (50 ppm), which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short-term exposure limit (STEL) is: 574 mg/m<sup>3</sup> (150 ppm), which is the maximum allowable exposure concentration at any time.

**Biological limit values**

Not available

**Engineering Controls: Ventilation**

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion-proof ventilation equipment.

**Personal Protective Equipment**

**Respiratory Protection:** Where concentrations in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type “A” filter material is considered suitable for this product.

**Eye Protection:** Always use safety glasses or a face shield when handling this product.

**Skin/ Body Protection:** Always wear long sleeves and long trousers or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves (e.g. PVC) be worn when handling this product.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

| Property             | Unit of measurement | Typical value            |
|----------------------|---------------------|--------------------------|
| Appearance           | -                   | Clear, colourless liquid |
| Boiling Point/ Range | °C                  | 56 – 110                 |
| Flash Point          | °C                  | -2                       |

| Property                     | Unit of measurement | Typical value       |
|------------------------------|---------------------|---------------------|
| Density @ 15°C               | g/ml                | 0.82                |
| Vapour Pressure @ 20°C       | kPa                 | Not available       |
| Explosive Limits (LEL – UEL) | %                   | Not available       |
| Vapour Density @ 20°C        | kPa                 | Not available       |
| Autoignition Temperature     | °C                  | Not available       |
| Viscosity @ 20°C             | cSt                 | Not applicable      |
| Percent Volatiles            | %                   | 100                 |
| Solubility with Water        | % w/w               | Miscible with water |

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult the Product Data Sheet.

## 10. STABILITY AND REACTIVITY

### **Chemical Stability**

Stable at room temperature and pressure

### **Conditions to avoid**

Sources of heat and ignition, open flames.

### **Hazardous decomposition products**

Carbon dioxide, carbon monoxide and organic complexes on incomplete burning/oxidation

### **Hazardous reactions**

Oxidizing agents, mineral acids, halogenated organic compounds and peroxides. Combination with Ethanol will result in potentiated (greatly increased) Health effects similar to those in ingestion and inhalation.

### **Hazardous Polymerisation**

Will not occur

## 11. TOXICOLOGICAL INFORMATION

### **Acute Effects**

#### ***Ingestion***

This material will cause irritation to the throat and tube to the stomach and may cause nausea. Vomiting may cause the product to be aspirated to the lungs possibly resulting in chemical pneumonitis.

#### ***Eye Contact***

Eye contact with this product will cause redness and swelling with a burning sensation and blurred vision.

#### ***Skin Contact***

Harmful in contact with skin. Symptoms include burning sensation, redness, swelling and possible blistering

#### ***Inhalation***

Harmful by inhalation. Vapours will cause dizziness and drowsiness. There is the possibility of organ damage over prolonged use or exposure. Central Nervous System depression includes nausea, headaches, dizziness, and possibly loss of consciousness, coma and even death.

### **Chronic Effects**

Repeated over exposure may cause hemolysis of the red blood cells leading to possible liver and kidney damage. Any existing dermatitis may be exacerbated by exposure to this product. Prolonged contact with this product will result in irritant contact dermatitis if care is not taken to wash affected areas.

### **Other Health Effects Information**

Persons with pre-existing liver, kidney, central nervous system or skin complaints should avoid unnecessary exposure to this product. Every effort to protect eyes, respiratory tract and skin exposure should be taken in these circumstances. This product contains n-hexane, where the effects of this constituent show incidents of experimental teratogenic and reproductive effects and mutation data has been reported.

### **Toxicological Information**

Oral LD<sub>50</sub>: Toluene: Oral: > 2000 mg/kg (rat); Dermal: > 2000 mg/kg (rabbit)

Dermal TC<sub>L0</sub>: Toluene: Inhalation: > 20 mg/l for 4hr (rat)

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Aquatic Toxicity**

|  |  |
|--|--|
| Fish Toxicity (rainbow trout, goldfish, bluegill): | LC <sub>50</sub> (96hr): Toluene: Goldfish: 41590 µg/L |
| Daphnia Magna EC <sub>50</sub> (24 hr):            | Toluene:: 6000 µg/L                                    |
| Blue-green algae (Toxicity threshold 7-8 days):    | Toluene: LO <sub>EC</sub> : 105000 µg/L                |
| Green algae (Toxicity threshold 7-8 days):         | Toluene: LO <sub>EC</sub> : < 500000 µg/L              |

**Persistence/ degradability**

Readily biodegradable. Oxidises rapidly by photo-chemical reactions in air. Does not bioaccumulate significantly.

**Mobility**

If product enters soil, it will be highly mobile and may contaminate groundwater.

**13. DISPOSAL CONSIDERATIONS****Disposal Methods**

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain fumes and vapours that are flammable and harmful. Ensure that empty packaging is allowed to dry.

**Special Precautions for Landfill or Incineration**

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product must be disposed as chemical waste in accordance with the local authority.

**14. TRANSPORT INFORMATION**

| Road and Rail Transport |                         | Marine Transport     |                         | Air Transport        |                         |
|-------------------------|-------------------------|----------------------|-------------------------|----------------------|-------------------------|
| UN No.                  | 1993                    | UN No.               | 1993                    | UN No.               | 1993                    |
| Proper Shipping Name    | 100% Liquid Hydrocarbon | Proper Shipping Name | 100% Liquid Hydrocarbon | Proper Shipping Name | 100% Liquid Hydrocarbon |
| DG Class                | 3                       | DG Class             | 3                       | DG Class             | 3                       |
| Sub. Risk               | None                    | Sub. Risk            | None                    | Sub. Risk            | None                    |
| Pack Group              | II                      | Pack Group           | II                      | Pack Group           | II                      |
| Hazchem                 | •3YE                    | Hazchem              | •3YE                    | Hazchem              | •3YE                    |

**Dangerous Goods Segregation**

This product is classed as Dangerous Goods Class 3, packing group II. Please consult the Australian Dangerous Goods Code for Transport by Road and Rail for information.

**15. REGULATORY INFORMATION**

**Country/ Region:** Australia

**Inventory:** AICS

**Status:** Listed

**Poisons Schedule:** 6

**16. OTHER INFORMATION**

**Reasons for Issue:** Upgrade to GHS SDS; Amalgamated supplier changes in all sections

**Abbreviations:**

AICS: Australian Inventory of Chemical Substances

CAS Number: Chemical Abstracts Number

IARC: International Agency for Research on Cancer

NOHSC: National Occupational Health and Safety Council



---

**References:**

- Supplier Safety Data Sheets
- <http://chem.sis.nlm.nih.gov/chemidplus> (January 16)
- <http://hsis.ascc.gov.au/SearchHS.aspx> (January 16)
- Ecotoxicology data: [http://cfpub.epa.gov/ecotox/quick\\_query.htm](http://cfpub.epa.gov/ecotox/quick_query.htm) (January 16)
- Sax's Dangerous Properties of Industrial Materials, Richard J. Lewis Snr., pub. Canada (2000)

---

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Sydney Solvents Pty. Ltd.